

# The NIH CATALYST

A PUBLICATION FOR NIH INTRAMURAL SCIENTISTS

NATIONAL INSTITUTES OF HEALTH ■ OFFICE OF THE DIRECTOR ■ VOLUME 12, ISSUE 4 ■ JULY–AUGUST 2004

## Nonmyeloablative Conditioning OUTPATIENT STEM-CELL TRANSPLANTATION A FIRST AT NIH

by Fran Pollner



Fran Pollner

**Breaking new ground:** Richard Childs (left) and Ramaprasad Srinivasan, medically responsible investigator and principal investigator, respectively, of the first NIH study that involves transplantation on an outpatient basis

To borrow an old merchandising slogan, it's not your grandfather's allogeneic stem-cell transplantation.

It's a formula for transplantation so different from the characteristically toxic standard myeloablative procedures, it can be done on an outpatient basis.

All that's missing are the patients. So far, one of a projected 58 patients has been enrolled in the "phase I/II study of HLA-matched mobilized peripheral blood hematopoietic stem cell transplantation for advanced mycosis fungoides [MF]/Sezary syndrome using nonmyeloablative conditioning with Campath-1H."

But the PIs—NCI's Ramaprasad Srinivasan and NHLBI's Richard Childs—are optimistic. The study is estimated to last for three to five years, and they expect that accrual will speed up once the anticipated favorable responses with the first few patients become known.

continued on page 6

## Workshop Explores Adult Stem-Cell Research

### NIH CORE FACILITY SUPPORT SOUGHT FOR 'TRANSITIONAL' STEM-CELL RESEARCH

by Celia Hooper

Radical new therapies using today's government-approved embryo stem-cell lines may still be five or more years from trials in patients. In the meantime, NIH scientists developing therapies based on adult cells are making interesting strides in basic and clinical studies.

At an NIH workshop in late May, these investigators said they hope their real-world experience turning scientific concepts about stem cells into human cell-therapy trials will also ultimately facilitate embryo stem-cell treatments.


Speaking at the May 24 workshop, "Clinical Applications of Stem Cells at the NIH," John Barrett of NHLBI acknowledged that he had "a slightly crusading purpose" behind his talk—not just to show promising clinical trial results, but also to highlight the challenges of his 10-year effort to take a promising idea from theory to clinical trial.

### Effecting Smooth Transitions

From this experience, Barrett sees a need for a core facility to assist what he prefers to call "transitional" research—the work needed to go from "proof of principle" experiments with human cells to the manufacture of an FDA-approved clinical-grade cell product.

A transitional research laboratory would facilitate interactions with industry partners to study and perfect the systems for cell separation, selection, culture, and preservation so that the techniques for making new cell products could be brought within reach of cell-processing laboratories and blood banks nationwide.

The Cell Processing Section in the CC's Transfusion Medicine Department, which operates under rigorous GMP (good manufacturing practice) conditions, would be an essential partner in that effort, he emphasized.



Fran Pollner


**Cell Isolation:** E. J. Read (left), chief of the CC Cell Processing Section, watches as medical technologists Quyen Chau and Tamara Felton run the ClinMACS, a closed, sterile system that uses magnetically labeled antibody to separate enriched hematopoietic progenitor cells from a donor's mobilized peripheral white blood cells. A typical donor sample, containing 40 billion white blood cells, provides about 400 million progenitor cells for one allogeneic transplant.

Creating a transitional research facility  
continued on page 4

### CONTENTS

1	Adult Stem-Cell Research Spans NIH	8–12	IG Directory/Course
	Stem-Cell Transplant Outpatient Protocol	13	A Cartoon Memoir Of Motherhood at NIH
2	From the DDIR: Renewing Trust	14	More Postbac Posters
3	Research Ethics	15	NIH History Day: Biography as History
7	Festival Preview	16	Scouting to Work

## RENEWING TRUST IN NIH



Michael Gottesman

The editorial in *The Washington Post* on Monday, July 5, entitled "Double Dipping at NIH" is a reflection of continuing public and congressional concern about the nature and extent of outside activities by NIH scientists.

Beginning last fall and continuing through this summer, we have been faced with allegations and revelations about lucrative consulting arrangements between NIH scientists and industry, some approved by NIH ethics officials and some not. These revelations have led to the perception that the integrity of NIH science and scientists may be compromised.

It is worth noting that the credibility of intramural scientists is of paramount importance to Congress and the public, who rely on us for unimpeachable information about basic research and crucial public health issues. It is therefore essential that NIH do whatever is necessary to restore public confidence in the work that is done here and the scientists who do it.

NIH Director Elias Zerhouni has appeared twice before the Oversight and Investigations Subcommittee of the House Committee on Energy and Commerce—the "Greenwood committee" (chaired by Rep. James C. Greenwood [R-Pa.])—to offer solutions to the current quandary.

In the first hearing, on May 18, he outlined steps that NIH had already taken, including creation of a central committee of scientists and ethics officials (the NIH Ethics Advisory Committee, or NEAC) chaired by Raynard Kington, NIH deputy director and deputy ethics counselor. This committee, which I co-chair, has brought uniformity and rigor to the review of requests for many different kinds of outside activities.

Dr. Zerhouni also reviewed the recommendations of a Blue Ribbon Panel on Ethics at NIH. But Greenwood committee members faulted some of the panel's specific recommendations as being inadequate to prevent some abuses of concern to them. Subsequently, on June 22, Dr. Zerhouni outlined several significant changes in the ethics program at NIH that were received more enthusiastically by the Greenwood committee.

The principles behind these changes include:

- Removing any ambiguity about which activities are acceptable and which are not to restore public trust and clarify policies for NIH staff

- Increasing transparency in reporting outside activities

- Allowing researchers at NIH to engage in certain types of consulting agreements with industry to expand the intellectual horizons of our scientists and their ability to contribute to the public health—but barring such activities for others, including NIH leadership, scientific directors, and clinical directors.

- Creating a system that allows effective and efficient monitoring and oversight

The full testimony can be found at

<[http://www.nih.gov/about/director/062204zerhouni\\_COI.pdf](http://www.nih.gov/about/director/062204zerhouni_COI.pdf)>,

which is part of the NIH website pertaining to ethics issues:

<[http://www.nih.gov/about/ethics\\_COI.htm](http://www.nih.gov/about/ethics_COI.htm)>.

Highlights of Dr. Zerhouni's specific plans to eliminate perception of conflict of interest at NIH and enhance public trust include:

- Eliminating or reducing stock holdings in biotech and pharmaceutical companies

- Verification of authenticity of research honors and awards

- Limitations on the amount and nature of compensation for consulting activities (including disallowing stock or stock options)

- Prohibitions on membership on corporate boards

- Prohibitions on consulting with grantee institutions

- Expanded public reporting of outside activities, including an increase in the number of NIH staff who file financial reports

Many of these changes in current policy require regulatory authority from the Office of Government Ethics, a process that takes many months. And specific details about how to implement these plans without causing undue hardship in individual cases are being worked out.

In the near future, NIH will be providing guidance about what activities

may be possible while the new program is being developed.

The experience from NEAC suggests that many of the outside activities requested by NIH scientists are clinical care or academic—editing, writing, and teaching in a course—and most of these should continue to be approvable under the new rules.

Other outside activities, such as consulting with grantee organizations (for example, giving a scientific talk at a university or serving on an external advisory board to an NIH grantee), will not be allowed as outside activities, but can be conducted as official duty activities with approval from a supervisor and/or appropriate extramural staff, with or without sponsored travel, as appropriate.

The intent is to encourage intellectual exchanges with academia and industry as part of official duties, but to limit or prohibit compensation for such activities.

Much more information will be forthcoming as the new ethics program develops, and every effort will be made to inform the NIH community as new policies are formulated and implemented.

—Michael Gottesman

Deputy Director for Intramural Research

THE INTENT IS TO  
ENCOURAGE INTEL-  
LECTUAL EX-  
CHANGES WITH  
ACADEMIA AND  
INDUSTRY AS PART  
OF OFFICIAL DU-  
TIES, BUT TO LIMIT  
OR PROHIBIT COM-  
PENSATION FOR  
SUCH ACTIVITIES



## THE RESPONSIBLE CONDUCT OF RESEARCH: A NEW ONLINE COURSE

In keeping with a new policy issued by the PHS Office of Research Integrity that requires training in the responsible conduct of research (RCR) for all researchers supported by PHS funds, we have launched a computer-based course on Research Ethics. You will find it at:

<http://researchethics.od.nih.gov/>.

In keeping with the NIH tradition of crafting useful and stimulating online ethics exercises, this RCR course makes for very interesting reading, is crisp and quite informative, and offers provocative problems to solve and questions to answer.

### Who Must Take the Course, And When

Under this policy, all research staff in the NIH IRP who have "direct and substantive involvement in proposing, performing, reviewing, or reporting research, or who receive research training," will participate in RCR instruction.

We define those staff as senior investigators, tenure-track investigators, senior scientists, and clinicians, staff scientists and clinicians, research and clinical fellows, pre- and postdoctoral trainees, technicians, research nurses, and special volunteers or guest researchers involved in these activities.

**All current staff must complete the course by October 31 of this year, and all new staff will take it as part of the web-based orientation package they are required to complete.**

### Baseline Nuts and Bolts

The NIH Committee on Scientific Conduct and Ethics (CSCE) spent the better part of a year developing this web-based Research Ethics course.

The course puts forth standards of research integrity for the performance, presentation, and review of scientific results that are well known to NIH researchers.

These standards cover a variety of issues, from determining authorship to data management, handling collaborations, management of conflicts of interest, peer review, and the ethical issues related to the use of humans and animals in research. Mentoring is also a key component.

The course is designed to ensure that all intramural scientific staff have a baseline understanding of these standards. And it sets the stage for the research ethics case discussions that have been integrated into the conduct of research at NIH (see below).

### PHS Objectives

The long-term goals of RCR training, as defined by the PHS, are:

- To increase researchers' knowledge of, and sensitivity to, issues surrounding the responsible conduct of research

- To improve the ability of our scientific staff to make ethical and legal choices in the face of conflicts involving scientific research

- To develop an appreciation for the range of accepted scientific practices for conducting research

- To provide information about the regulations, policies, statutes, and guidelines that govern the conduct of PHS-funded research

- To develop positive attitudes toward lifelong learning in matters involving the responsible conduct of research

The PHS policy requires a combination of one-time training in a set of core areas (including data acquisition, management, sharing, and ownership; mentor and trainee responsibilities; publication practices and responsible authorship; peer review; collaborative science; research misconduct; and conflict of interest and commitment; and research involving human subjects and animals)—and yearly follow-ups.

### Ethics Case Discussions

The yearly follow-ups have been ongoing here at NIH for several years through the use of research ethics case discussions, led by trained facilitators and given to groups of 20–30 people at a time.

Each year the CSCE chooses a theme for the next year, generally based on the issues that have risen to the top of our attention, or been recommended by intramural scientists, during the previous year. We review a collection of possible cases and select those we feel will be most stimulating and informative for discussion.

A website within the Intramural Research Sourcebook

—<http://www1.od.nih.gov/oir/sourcebook/ResEthicsCases/cases-toc.htm>—

contains the set of cases to be used for each topic, along with supplementary information.

Staff have been trained in each IC to serve as facilitators, whose primary tasks are to ensure that everyone takes part in the discussion, that the key points are



Joan P. Schwartz

covered, and, most importantly, that the discussion is lively.

This year (2004)—given the interest stimulated by Dr. Zerhouni's Roadmap initiatives—the theme is collaborative science.

The ICs have some flexibility in how they choose to carry out the yearly training, but are expected to adopt the theme chosen for a given year. That allows us to update staff on new policies in a relatively rapid and all-inclusive way. Any scientist interested in serving as a facilitator should contact his or her scientific director or CSCE member. For a list of IC representatives, see

<http://www1.od.nih.gov/oir/sourcebook/comm-adv/sci-conduct.htm>.

Most of you have participated in these research ethics case discussions, so you already know that they are not only intellectually stimulating but also fun.

The case discussions have been supplemented over the years with Ethics Forum columns such as this one, published in *The NIH Catalyst*, that address new or difficult issues that come to our attention.

But no part of the training has ensured that everyone has the same baseline understanding of RCR that is outlined in the NIH Guidelines for the Conduct of Research (<http://www.nih.gov/campus/irnews/guidelines.htm>)—hence the computer course.

### In Your Court

As you go through the course, you will find at the end of each module a quiz or mini-case to test your understanding of what you have just learned, and we hope that you will find these interesting and fun also.

Equally important, we designed the course to serve as a research ethics resource, with a Resources section and a Glossary, and we recommend that you bookmark the course for future reference.

Also built in is the ability to print out "Key Points to Remember from the NIH Ethics Course on the Responsible Conduct of Research," along with a certificate demonstrating that you have completed the course.

We invite you to share your ideas on topics for case discussions and on how to improve the training experience. Comments can be sent to

[researchethics@od.nih.gov](mailto:researchethics@od.nih.gov).

—Joan P. Schwartz  
Assistant Director, OIR

## ADULT STEM-CELL RESEARCH

continued from page 1

might be expensive, he said, but the ultimate savings from transplants using sophisticated cell products that could emanate from such a facility would be enormous.

Barrett cited comparative costs within his own area of hematopoietic stem-cell transplantation for malignant diseases: The creation of complication-free transplants—purified stem cells free of cells that cause graft-vs-host (GVH) disease and enriched for immune cells that specifically react against troublesome viruses and the patient's cancer—could cost as much as \$20,000 per patient. But that expense pales in comparison to the possible \$250,000 price tag for the prolonged hospitalization that often attends allogeneic stem cell transplantation and the cost of treating recurring disease if the transplant fails.

### Cancer And Graft-vs-Host Disease

Barrett, along with NCI's Michael Bishop, described research that uses hematopoietic stem cells in treating cancer patients.

Barrett uses allogeneic transplants of peripherally harvested bone marrow cells to treat leukemia. The HLA-matched donor stem cells repopulate the leukemia patient's blood-producing system after their own cancerous blood cells are killed with anticancer chemotherapy.

But beyond that, Barrett's team is trying to improve their patients' odds by delicate application of one edge of a dangerous two-edged sword.

Investigators have seen that immune reactions by grafted donor immune cells can have a powerful antileukemic effect. But even in apparently perfectly matched donor-recipient pairs, some immune cells attack the patient's normal tissues, causing potentially fatal GVH disease.

Because older leukemia patients are especially vulnerable—about half may die of GVH disease—the team targets this older cohort (whose average age is 64) for clinical trials of measures aimed at minimizing GVH reactions, while maximizing the allogeneic attack on leukemia cells that may have withstood chemotherapy.

In 14 patients thus far, the investigators have seen 100 percent transplant engraftment, with significant reduction in GVH disease and no deaths to date attributable to that cause.

The key to this GVH reduction in Barrett's work, as well as in Bishop's, has



Celia Hooper

**Wrap-Up:** (left to right) Cynthia Dunbar, senior clinical investigator, NHLBI; E. J. Read, chief of the Cell Processing Section, Department of Transfusion Medicine, CC; Betsy Nabel, director of clinical research programs, NHLBI; and Ron McKay, senior investigator, Laboratory of Molecular Biology, NINDS, lead a general discussion at the end of the daylong workshop on "Clinical Applications of Stem Cells at the NIH"

been to temper immune reactions by selectively eliminating the cells responsible for them—GVH-specific T cells. Studies with mice showed that low doses of fludarabine and cyclophosphamide effect a slow depletion of T cells in a transplant recipient, permitting engraftment of even HLA-mismatched cells without having to completely destroy the recipient's immune system.

Working with patients with metastatic breast cancer, Bishop is employing chemotherapy regimens that gently, slowly deplete T cells as they kill breast cancer cells. Patients are left with disease-attacking natural killer (NK) and other immune cells, but free of the T cells' destructive reactions.

Bishop says a key may be promoting Type 2 cytokine interactions that suppress GVH reactions, while squelching Type 1 reactions that promote them.

He emphasizes that hematopoietic stem cell therapy (HSCT) goals differ among patients. In some patients, the target of therapy may not be cancer but, rather, anemia and other nonmalignant blood diseases in which there is no benefit in retaining potential for graft-vs-tumor reactions.

Among cancer patients, the blood cells themselves may be cancerous or blood may harbor cancer cells. Similarly, T-cell numbers and reactivity may be naturally high or low.

"We don't believe one regimen fits all," Bishop said. He envisions blood stem-cell therapy will be pretty much "designer therapy."

### Array of Applications

Roland Martin of NINDS is examining the use of HSCT for a completely different purpose—stopping the decline of patients with multiple sclerosis (MS). Martin's group shows that HSCT halts the progress of the autoimmune disease by eliminating MS patients' immune cells that are programmed to attack their own myelin, causing inflammation and subsequent brain-cell loss. The patients' immune systems are rescued with naive cells from transplanted hematopoietic stem cells.

In the seven patients treated thus far, this approach has reset the immunological clock, leaving patients free of the inflammatory component of MS.

Stopping the clock, however, doesn't reverse neurodegeneration that has already occurred. For this, Martin says, one has to look at a second transplant of some other stem cells—oligodendrocyte precursor cells alone or with local delivery of growth factors. Transplantation of these precursors in mouse models of MS has restored myelinated cells and appropriate brain architecture, left no scarring, and, as a result, improved motor function.

Other research presentations in the center ring of the workshop featured a diverse array of results, ranging from NIDCR's Pam Robey's elaboration of stem cells in the dental pulp of children's baby teeth to NIAID's Harry Malech's description of progress toward effective gene therapy for chronic granulomatous disease.



For example, Rocky Tuan of NIAMS described continuing refinements in a bag of innovative tricks designed to charm mesenchymal stem cells into making replacements for tissues damaged by arthritis and other ravages of age and degenerative joint disease.

Tuan has been inching ever closer to producing lab-grown tissues that closely mimic human bone and cartilage in texture, strength, ability to support appropriate growth and differentiation of cells, and even transmission of critical signals for cell-cell interactions.

Tuan noted that understanding these signals—and learning how to control them—may someday obviate the need for transplants of stem cells or lab-grown tissues.

The ideal course would be to reprogram cells or call in residual mesenchymal stem cells already within the body to repair damaged joints. Look at the salamander's ability to regrow complete limbs, Tuan urges. "It does all these things without any government intervention or support!"

### **Do Reparative Cells Come from Near or Far?**

One key question for scientists working with some adult stem cells is where the cells actually come from. Do repairing cells already reside in tissues and multiply when needed to repair adjacent damage? Or are the cells summoned from a stem-cell source elsewhere in the body?

NIDDK'S David Harlan and Nadya Lumelsky say that their studies aimed at diabetes suggest that insulin-producing  $\beta$ -cells may not arise, at least not to date with clinically relevant efficiency, from circulating stem cells or other pancreatic cells. Harlan presented work that did not support the existence of bone-marrow resident stem cells capable of differentiating into insulin-producing cells.

In other work with human pancreatic cells, Lumelsky had variable success in cultivating new insulin-producing cells in comparatively short-term cultures. The success of the culture varied greatly depending on the specific human islet isolation.

That said, her laboratory takes cellular clusters from the disaggregated human pancreas and grows cells from the mixture on fibronectin in defined culture medium (with a cocktail of growth factors), promoting cellular re-aggregation.

With this system, Lumelsky finds that a minority of such preparations make

more C-peptide (a marker for insulin production) than what she started with, while most make less.

Evidence of remote sources of stem cells came from NEI's Karl Csaky, who presented data on bone marrow as one key source of cells involved in neovascularization in the eye.

Csaky's mouse studies on ocular overexpression of VEG-F or laser-induced ocular damage showed that 70 percent of macrophages, 58 percent of endothelial cells, and 60 percent of smooth muscle cells involved in neovascularization and repair came from the bone marrow.

In contrast, none of the retinal cells in the repaired tissue came from the bone marrow. Csaky is interested in identifying factors responsible for summoning and triggering appropriate differentiation of stem cells at sites of damage in the eye.

### **The Heart of the Matter**

Focusing on heart repair, Richard Cannon of NHLBI recalled studies from 1997 that detected endothelial progenitor cells in peripheral blood and evidence from animal models of hind-limb ischemia that injection of these cells can stimulate growth of new blood vessels and improve blood flow to the affected extremity.

Attempts to use such cells to revascularize human hearts suggest benefit to myocardial blood flow and function, but the nonrandomized clinical trials reported to date have involved small numbers of patients who often underwent coronary revascularization at the time of treatment.

Studies performed in the NHLBI Cardiovascular Branch suggest that there may be variation in the ability of people's stem cells to accomplish the feat of repairing heart damage.

The researchers isolated mononuclear cells from blood samples of middle-aged men with varying levels of risk for heart disease and examined the ability of progenitor cells to produce endothelial-like cells needed to form new vessels in damaged hearts.

Cells from subjects with the fewest risk factors produced the most colonies of reparative cells, and those with the greatest number of risk factors had the lowest numbers of functional colonies.

Further, endothelial function, as tested by nitric oxide-mediated vasodilation, correlated strongly with subjects' endothelial colony-forming capacity. The re-

searchers speculate that loss of the cells' ability to repair endothelial damage in the heart may be yet another independent contributing factor in cardiovascular disease.

Cannon and his colleagues studied whether just mobilizing stem cells from bone marrow with the cytokine granulocyte-colony-stimulating factor (G-CSF) might be sufficient to help repair hearts damaged by severe cardiovascular disease. Although they were successful in augmenting endothelial progenitor cells in the circulation after G-CSF administration, the numbers of cells were small, the duration of mobilization short, and the benefits to patient health undetectable on cardiac MRI and treadmill stress tests.

Cannon will soon be trying direct myocardial administration of stem cells to patients' damaged hearts.

In a collaborative study with Suburban Hospital's (Bethesda, Md.) Cardiopulmonary Rehabilitation Unit, Cannon is exploring interrelationships of exercise, endothelial function, endothelial progenitor cell mobilization, and nitric oxide bioactivity in hopes of giving heart patients a vascular repair profile more like that of healthy individuals.

### **More Tools for the Trade**

Still other NIH investigators are developing tools and facilities to aid stem-cell research. New tools include *in vivo* imaging and clinical-grade reagents that permit investigators to "see" stem cells at work inside the human body.

Robert Lederman of NHLBI described sophisticated MRI techniques that could be used to watch precise delivery of bone marrow stromal cells to the margins of an infarct, for example, or to calculate peripheral vascular function by measuring reperfusion of blood into tissue when a restraint on circulation is abruptly removed.

"These images are incredibly sensitive tools," Lederman finds. But frustrations in working with industry partners to develop the techniques have led Lederman to agree with Barrett that NIH needs a "transitional" core. If there were one, "I'd be discussing results rather than experimental design," Lederman said.

Lederman says one key to his work is a technique for magnetically labeling cells developed by the CC's Laboratory of Diagnostic Radiology Research. Joe Frank, who leads LDRR, described ongoing development of the superparamagnetic iron

oxides that are taken up by cultured stem cells, for example.

As few as 50,000 labeled cells can be injected into a living animal and then observed via 1.5 Tesla MRI—a field strength that could also be used in human studies.

Frank says nondividing cells, such as T cells, retain label for 40 to 60 days, and there is no change in apoptosis or reactive oxygen species in labeled cells. As paperwork wends its way through the FDA to get the magnetic label approved for clinical use, Frank has been collaborating on studies that put the vital stain to work to study angiogenesis, stroke, MS, and cardiovascular disease.

### The Challenges Of Product Development

If NIH wanted to take up Barrett's call for a transitional research core, perhaps the best advice on such a facility would come from E. J. Read, chief of the Cell Processing Section of the CC Department of Transfusion Medicine.

"Product development," Read says categorically, "is different from basic science." Product development studies aim to design cellular products that meet the needs of the clinical trial as well as FDA's regulatory requirements. The new products must ultimately be prepared in a GMP environment to ensure that they are safe and effective for patients who receive them.

Translation of cell therapies requires working collaboratively with investigators, starting in the preclinical phase, to define and characterize specific details of each product.

Challenges abound. The most striking, Read says, is the variability of cells—starting material from different patients. This variability means contingency planning is critical because things will go wrong. Scale-up and movement from lab to clinic may not be straightforward. Closed, automated systems are more desirable, she said, because they reduce human error and the risk of contamination from microbes in the environment when cells are processed.

Collaboration with industry brings in lots of additional challenges. Read says her best allies in coping with FDA oversight have been the facility's masterfile of operational and quality procedures, written in responses to FDA's formal queries and published guidelines, and copious documentation during the preparation of each clinical product. "This has

really helped a lot," Read says.

NINDS' Ron McKay gave the workshop a view on another core facility with an update on the NIH Human Embryonic Stem Cell Unit (see *The NIH Catalyst*, March-April, page 1).

That facility is growing and characterizing human embryo stem cells, "currently the most useful" stem cell of all, by virtue of its capacity "for infinite expansion to lots of cell types," McKay said. "Somatic stem cells are not designed for infinite expansion."

McKay says studies of embryo stem cells in rats show that they can be differentiated into dopamine-secreting neural precursor cells and implanted into the ventral midbrain, where they engraft beautifully and are electrophysiologically and behaviorally functional.

"In five years," McKay predicted, "human embryo stem cells will routinely be put to many clinically relevant uses."

### Regulatory Hurdles

Whether the prediction is borne out depends in part on reasonably swift approval of stem-cell procedures by the FDA. FDA's Steve Bauer acknowledged that stem-cell-based therapy is a relatively new regulatory area for the agency, but he noted that development of specifications for stem-cell-based products is evolving rapidly as scientific information increases.

The agency will be looking not only at the end products but also at initial starting materials, culture, and other processing of cells. Bauer said key issues might include:

- Potency of cells
- Freedom of starting materials from infectious disease
- Derivation of the cells
- Stability of the cells
- Propagation conditions
- Characterization of the cells
- Where implanted cells go and how long they live
- Tumorigenicity of implanted cells
- Ectopic development of tissue from implanted cells

In a panel discussion concluding the workshop, Barrett said the NIH intramural program has a unique opportunity in stem cell research. "We have all the pieces in one place and lots of expertise to see the research through to clinical trials." NHLBI Clinical Director Betsy Nabel concurred, citing the workshop's display of "incredible breadth and depth, from basic to applied research." ■

### OUTPATIENT STEM-CELL TRANSPLANTATION

*continued from page 1*



Fran Pollner

Richard Childs (left) and Ramaprasad Srinivasan

Already, this first patient is a standout: Not only the lead-off patient on the protocol, he's the first patient on any NIH transplant protocol to have undergone the procedure as an outpatient. Considering only NHLBI and NCI, Childs estimated that between 600 and 700 patients have undergone transplantation on intramural NIH protocol over the last decade or so—all inpatient.

"This is a big step in the right direction," Childs observed.

"We're doing something different," Srinivasan said. "In the old days, people going through allogeneic transplantation had to undergo intensive chemotherapy and/or radiotherapy that required hospitalization. They got very sick, couldn't eat, threw up, got all kinds of infections, and were basically bedridden for the early part of the transplantation, anywhere between four and six weeks."

"About one in three patients died from the transplant itself," Childs added. Consequently, it was only when patients faced death from the disease—the usual fate within one to five years of the onset of advanced MF—that transplantation was considered.

The nonmyeloablative regimen of the current protocol is designed to eliminate the toxicity from an otherwise therapeutic, potentially curative approach. Not only does the pretransplant regimen prepare the host to accept the donor cells, it also has some inherent antitumor activity. The four-week preparative regimen includes escalating doses of Campath-1H, an anti-CD52 monoclonal antibody, on days 28 to 15 pretransplant, and fludarabine, an anticancer agent, for the last five days before transplant.

The investigators will conduct lab



studies to document the effect of the preparatory regimen on the host immune system and the effect of donor immune cells on host tumor cells. They will look specifically at the following:

- The roles of Campath-1H and fludarabine in the development of donor chimerism and the extent to which Campath-1H potentiates the depletion of donor T cells

- The cell types and rate of donor cell repopulation post-transplant

- The ability of cells of donor origin to battle the tumor, as demonstrated in a laboratory-based confrontation between isolated and expanded donor CD4 and CD8 cells and tumor cells

- The ability of donor cells to recognize and presumably fight the patient's tumor, as suggested by the presence (or absence) of cells of donor origin in skin-lesion biopsies

"If we don't see a substantial number of patients engrafting, we would add another agent—cyclophosphamide—to the preparatory regimen in the next set of patients," Srinivasan said.

At more than 100 days post-transplant (at *Catalyst* press time), the pa-

tient, a 58-year-old African American man with a five-year history of progressive disease, was showing progressive donor engraftment and no signs of graft-vs-host disease. The first evidence of donor cells was spotted 15 days post-transplant, Srinivasan noted.

The investigators also saw evidence of antitumor activity but concluded that at that early stage the observed effects could be attributed entirely to the preparatory regimen. While transient, this effect is beneficial because it provides sufficient time for manipulation of the newly engrafted immune system to generate a durable immune response against the cancer. They plan to document laboratory correlates that indicate that donor immune cells are staving off disease over the long haul, as opposed to the short-term slaughter effected by the chemotherapy.

MF and its leukemic variant Sezary syndrome are the most prevalent forms of primary cutaneous T-cell lymphomas. The protocol is designed to see not only whether MF is successfully treated with this approach but also whether use of this relatively nontoxic agent—Campath-1H—is compatible with donor engraft-

ment.

"If we can actually get a graft in this context, this approach could be applicable in a wide variety of conditions normally amenable to transplantation and the nonmyeloablative regimen, such as non-Hodgkins lymphoma," another condition in which the immunosuppressive regimen also has antitumor activity, Srinivasan said.

In general, patients with fast-growing, "out-of-control" disease do worse on nonmyeloablative regimens," Childs remarked.

In contrast, patients with slower growing disease or disease in remission before the procedure are more likely to benefit from the anticancer effects generated through engrafting donor T lymphocytes.

Moreover, Childs said, patients "with an immune system that is already beaten up" from prior chemotherapy before undergoing nonmyeloablative transplantation are more likely to achieve the rapid, sustained donor engraftment that is a prerequisite for the potentially curative donor-immune-mediated antimalignancy effects that occur after these types of transplants. ■

## AUTUMNAL RITES: THE NIH RESEARCH FESTIVAL

Late September to early October is a great time for changing leaves, end-of-summer visits to the beach . . . and the NIH Research Festival.

The 2004 Festival runs from **Tuesday, September 28, through Friday October 1**, at the Natcher Conference Center. It kicks off Tuesday at 9:00 a.m. with a keynote address by DDIR Michael Gottesman on new and emerging prospects in the NIH Intramural Research Program.

Minisymposia Tuesday and Wednesday focus on:

- Emerging Infectious Diseases
- Epigenetics and Cell Cycle Control: From DNA Replication to Cancer Therapy
- Proteomics in Disease
- Gene-based Analysis of Parkinsonism
- The Challenge and Promise of Stem Cells for Regenerative Medicine
- Mast Cell Function: Biological and Clinical Implications
- Signaling Mechanisms during Development
- NIH Pharmacology and Therapeutics—The Road to Identification of Molecular Targets and Their Structures
- Technological Advances in Structural Biology and Biophysics
- New Frontiers in Mammalian Genomics
- Molecular Imaging: A Tool for Studying Systems Biology in Vivo
- Worms, Flies and Fish as Models of Human Disease
- Computer-aided Detection in Diagnostic Radiology
- Chromatin Remodeling and Gene Regulation
- c-AMP-dependent Protein Kinase Signaling and Human Disease
- Complex Genetics and Common Brain Disorders

Festival food and music burst forth midday Tuesday and Wednesday; Thursday offers the ever-popular Job Fair for NIH postdocs and research and clinical fellows; and the Technical Sales Association Exhibit Tent show runs Thursday and Friday.

For more details, see <<http://festival04.nih.gov>>.

# INTERINSTITUTE INTEREST GROUP DIRECTORY

## Web Access

Although not all the sites are up to date, nearly all the Interest Groups have web sites that can be accessed through <http://www.nih.gov/signs/signs.html>).

## MAJOR INTEREST GROUPS

### Cell Biology Interest Group

Meeting time: Not specified  
Meeting place: Building 32, Library  
Contact: Jennifer Lippincott-Schwartz  
Phone: 402-1010; 402-1009  
E-mail: <jlippin@helix.nih.gov>  
ListServ: subscribe to CELBIO-L

### Clinical Research Interest Group

Meeting time and place: sponsors CC Grand Rounds once every other month  
Contact: Cliff Lane  
Phone: 496-7196  
E-mail: <clane@nih.gov>

### Genetics Interest Group \*\*

Meeting time and place: Two all-day symposia a year to be announced  
Contact: Dan Kastner  
Phone: 496-8364  
E-mail: <tf60y@nih.gov>  
ListServ: subscribe to <GIG-L@list.nih.gov>

### Immunology Interest Group

Meeting time: Each Wednesday (except summer), 4:15 pm  
Meeting place: Building 10, Lipsett Auditorium  
Contact 1: Jennifer Cannons  
Phone: 435-1907  
E-mail: <jcannons@mail.nih.gov>  
Contact 2: Margaret Mentink Kane  
Phone: 594-2345  
E-mail: <mmentink@niaid.nih.gov>  
ListServ: subscribe to IMMUNI-L by joining the interest group at its web site

### Molecular Biology/Biochemistry Interest Group

Meeting time: Yearly to consider WALS speaker nominations  
Meeting place: By e-mail  
Contact: Carl Baker  
Phone: 496-2078  
E-mail: <ccb@nih.gov>

### Neuroscience Interest Group

Meeting time and place: Check website  
Contact 1: Chip Gerfen  
Phone: 496-4341  
E-mail: <gerfenc@intr.nimh.nih.gov>  
Contact 2: Bruce Cumming  
Phone: 42-8097  
E-mail: <bcg@lsr.nimh.nih.gov>

### Structural Biology Interest Group

Meeting time and place (2004-05): Usually 3rd Thursday, 4:00 pm, Building 50;

notices by e-mail and on the SBIG website

Contact 1: Susan Buchanan  
Phone: 594-9222  
E-mail: <skbuchan@helix.nih.gov>  
Contact 2: Sanford Markey  
Phone: 496-4022  
E-mail: <s.markey@nih.gov>  
To register for e-mail announcements, join SBIG at <www.nih.gov/signs/sbig>

## OTHER INTEREST GROUPS

### 14-3-3 Proteins Interest Group

Meeting time: Usually the third Wednesday, 4:00-5:00 pm  
Meeting place: Building 40, First-floor Conference Room  
Contact 1: Surajit Ganguly  
Phone: 496-8423  
E-mail: <surajit@codon.nih.gov>  
Contact 2: David C. Klein  
Phone: 496-6915  
E-mail: <klein@helix.nih.gov>

### Advanced Technologies Interest Group

Meeting time and place: Check the website  
Contact: Steven Hausman  
Phone: 402-1691  
E-mail: <hausmans@mail.nih.gov>

### AIDS Interest Group

Meeting time and place: Varies  
Contact: Fulvia Veronese  
Phone: 496-3677  
E-mail: <veronesf@od.nih.gov>  
ListServ: subscribe to AIDSINTG-L

### Apoptosis Interest Group

Meeting time: 1st Monday, 4:00 pm  
Meeting place: Building 49, Room 1 50/59 AB  
Contact 1: Richard Youle  
Phone: 496-6628  
E-mail: <youle@helix.nih.gov>  
Contact 2: Yves Pommier  
Phone: 496-5944  
E-mail: <yp4x@nih.gov>

### Behavioral and Social Sciences Interest Group

Meeting time: Varies; mainly sponsors lecture series  
Meeting place: See NIH Calendar of Events  
Contact: Ronald Abeles  
Phone: 496-7859  
E-mail: <abeles@nih.gov>

### Bioethics Interest Group

Meeting time: 1st Monday (except 2nd Monday following holidays; usually does not meet during summer), 3:00 pm  
Meeting place: Natcher, Room D, or Building 31, conference room; check yellow sheet or web site  
Contact: Miriam Kelly  
Phone: 496-9322  
E-mail: <mk46u@nih.gov>  
Sign up at <<http://BIOETHICSinterestgroup@list.nih.gov/>>

### Biomedical Computing Interest Group

Meeting time: Third Thursday, 3:00 pm  
Meeting place: Building 10, Room 2C116 (Medical Board Room)  
Contact 1: Jim DeLeo  
Phone: 496-3848  
E-mail: <jdeleo@nih.gov>  
Contact 2: Susan Harris  
Phone: 435-8721  
E-mail: <sharris@mail.cc.nih.gov>  
ListServe: subscribe to BCIG-L

### Biophysics Interest Group

Meeting time and place: Varies (often Building 10, Bunim Room)  
Contact: Peter Basser  
Phone: 435-1949  
E-mail: <pjbasser@helix.nih.gov>

### Biosciences Business Interest Group

Meeting time: Monthly, 12:00-1:00 pm  
Meeting place: Building 37, 4th Floor Conference Room (4041/4107)  
Contact 1: Val Bliskovsky  
Phone: 435-7249  
E-mail: <bliskovv@pop.nci.nih.gov>  
Contact 2: Gil Ben-Menachem  
E-mail: <gilben@mail.nih.gov>

### Birth Defects and Teratology Interest Group

Meeting time: Quarterly seminars  
Meeting place: Videoconference between Bethesda and Research Triangle Park, N.C.  
Contact: Megan Adamson  
Phone: 443-4354  
E-mail: <madamson@mail.nih.gov>

### Calcium Interest Group

Meeting time and place: Not regularly scheduled at this time  
Contact 1: Arthur Sherman  
Phone: 496-4325  
E-mail: <asherman@nih.gov>  
Contact 2: Indu Ambudkar  
Phone: 496-1478  
ListServ: Subscribe to CALCIUM-L

### Cancer CAM Research Interest Group

Meeting time and place: Varies  
Contact: Jeffrey White  
Phone: 435-7980  
E-mail: <jjeffreyw@mail.nih.gov>

### Chemistry Interest Group

Meeting time: Periodic seminars  
Meeting place: Varies  
Contact 1: John Schwab  
Phone: 594-5560  
E-mail: <schwabj@nigms.nih.gov>  
Contact 2: Kenneth Kirk  
Phone: 496-2619

### Chromatin and Chromosomes Interest Group

Meeting time: One Tuesday a month, 4:00 pm  
Meeting place: Building 41, Conf. Room  
Contact: David Clark  
Phone: 496-6966  
E-mail: <clarkda@mail.nih.gov>



**Chronobiology Interest Group**

Meeting time: 1st Wednesday, monthly, 4:00-5:00 pm  
 Meeting Place: Building 36, Room 1B13, or USUHS Rm A2054  
 Contact: Steven Coon  
 Phone: 496-8293  
 E-mail: <coons@mail.nih.gov>

**Clinical Applications of Stem Cells Interest Group**

Meeting time and place: To be announced; contact <cmoyers@nhlbi.nih.gov> to be added to the Listserv  
 Contact: Cynthia Dunbar  
 Phone: 496-1434  
 E-mail: <dunbarc@nhlbi.nih.gov>

**Clinical Immunology Interest Group**

Meeting time: Monthly, last Wednesday, noon  
 Meeting place: Building 10, Room 9S235  
 Contact: Oral Alpan  
 Phone: 402-3447  
 E-mail: <coalpan@nih.gov>

**Clinical Pharmacology Interest Group**

Meeting time: 2-3 times a year in conjunction with special lectures in the NIH Principles of Clinical Pharmacology course, 6:30- approx. 7:45 pm  
 Meeting place: Building 10, Lipsett  
 Contact: Donna Shields  
 Phone: 435-6618  
 E-mail: <dshields@mail.cc.nih.gov>

**Cognitive Neuroscience Consortium**

Meeting time: Every two months, last Wednesday, 4:15 pm  
 Meeting place: NSC Building, Conference Room A (starts September 2003; Extramural Program Directors' forum: last Friday every 3rd month, 3:00 pm, NSC Building, Conf. Room 2120, starts October 2003)  
 Contact: Emmeline Edwards  
 Phone: 496-9964  
 E-mail: <ee48r@nih.gov>

**Cultural and Qualitative Research Interest Group\*\***

Meeting time: 2nd Tuesday of February, April, June, September, November, 9:30 am  
 Meeting place: As announced  
 Contact 1: Sabra Woolley  
 Phone: 435-4589  
 E-mail: <woolleys@mail.nih.gov>  
 Contact 2: Suzanne Heurtin-Roberts  
 Phone: 594-6655  
 E-mail: <sheurtin@mail.nih.gov>

**Cytokine Interest Group**

Meeting time: three to four symposia/year  
 Meeting place: Varies; one symposium/year at NCI-Frederick  
 Contact 1: Calman Prussin  
 Phone: 496-1306  
 E-mail: <cprussin@niaid.nih.gov>  
 Contact 2: Robert Seder  
 E-mail: <rseder@mail.nih.gov>

**Dendritic Cell Interest Group**

Meeting time and place: TBA  
 Contact: Uri Lopatin  
 Phone: 496-7473  
 E-mail: <uri@nih.gov>  
 Contact 2: Brian Kelsall  
 E-mail: <bksall@mail.nih.gov>

**Diabetes Interest Group**

Meeting time: Once a month, days and times to be announced  
 Meeting place: Building 10, Lipsett Auditorium  
 Contact: Renee Rabben  
 Phone: 496-6289  
 E-mail: <ReneeR@intr.niddk.nih.gov>  
 Contact 2: Derek LeRoith  
 E-mail: <derek@helix.nih.gov>

**DNA Repair Interest Group**

Meeting time: 3rd Tuesday, 12:30 pm  
 Meeting/Videconference: Natcher, Room J; GRC (Baltimore), Room 1E03; FCRDC, Building 549, Conf. Rm. A; NIEHS (Research Triangle Park, NC) Building 101, Room B200; SUNY, Stony Brook; Univ. of Texas, M.D. Anderson Cancer Center, Smithville, TX; Univ. of Texas, Galveston; Lawrence Livermore National Laboratory, Livermore, CA; Brookhaven National Laboratory, Upton, NY; Univ. of Michigan, Ann Arbor; Univ. of Kentucky, Lexington; Univ. of Pittsburgh, Pittsburgh, PA  
 Contact 1: Kenneth Kraemer  
 Phone: 496-9033  
 E-mail: <kraemer@nih.gov>  
 Contact 2: Vilhelm Bohr  
 E-mail: <vbohr@nih.gov>

**Domestic Violence Research Interest Group**

Meeting time and place: To be announced  
 Contact: John Umhau  
 Phone: 496-7515  
 E-mail: <umhau@nih.gov>

**Drosophila Interest Group**

Meeting time: 3rd Tuesday, 1:15 pm  
 Meeting place: Building 6B, Room 4B429  
 Contact 1: Sue Haynes  
 Phone: 301-295-9791  
 E-mail: <shaynes@usuhs.mil>  
 Contact 2: Jim Kennison  
 E-mail: <James\_Kennison.nih.gov>

**Drosophila Neurobiology Interest Group**

Meeting time: Every other Friday, 12:00 noon (starting September 10)  
 Meeting place: Porter Neuroscience Research Center (Building 35), Room BB-1000  
 Contact: Benjamin White  
 Phone: 435-5472  
 E-mail: <WhiteB@intr.nimh.nih.gov>

**Drug Discovery Interest Group\*\***

Meeting time: Usually one Thursday a month, 3:00 pm  
 Meeting place: Building 37, 6th-floor

conference room  
 Contact: John N. Weinstein  
 Phone: 496-9571  
 E-mail: <weinstein@dtpx2.ncicrf.gov>

**Economics Interest Group**

Meeting time and place: Varies  
 Contact 1: James A. Schuttinga  
 Phone: 496-2229  
 E-mail: <js41z@nih.gov>  
 Contact 2: Agnes Rupp  
 E-mail: <ar24f@nih.gov>

**Endocrinology Interest Group\*\***

Meeting time and place: Varies  
 Contact 1: George Chrousos  
 Phone: 496-5800  
 E-mail: <George\_Chrousos@nih.gov>  
 Contact 2: Phil Gold  
 Phone: 496-1945

**End of Life Research Interest Group**

Meeting time: Typically Thursdays, 3:00 pm, on an as-needed basis  
 Meeting place: Natcher, room as available  
 Contact: Alexis Bakos  
 Phone: 594-2542  
 E-mail: <bakosa@mail.nih.gov>

**Epidemiology and Clinical Trials Interest Group**

Meeting time and place: Varies (subscribe to Listserv for notices)  
 Contact: Martina Vogel-Taylor  
 Phone: 496-6614  
 E-mail: <martinav@nih.gov>  
 Listserv: subscribe to Epidem-L at <listserv@list.nih.gov>

**Epilepsy Interest Group**

Meeting time and place: Seminars and annual Data Blitz session announced by e-mail and on website  
 Contact: Mike Rogawski  
 Phone: 496-8013  
 E-mail: <epilepsySIG@nih.gov>

**Fluorescence Interest Group**

Meeting time: Usually even Fridays, 4:00 pm; see website; join to receive upcoming events e-mail  
 Meeting place: Building 10, usually Room 5N264  
 Contact: Jay Knutson  
 Phone: 496-2557  
 E-mail: <jaysan@helix.nih.gov>  
 Contact 2: Dan Sackett  
 E-mail: <sackettd@mail.nih.gov>

**Gene Therapy Interest Group**

Meeting time: 2nd Thursday, 2:00 pm  
 Meeting place: Building 10, Lipsett Auditorium  
 Contact: Fabio Candotti  
 Phone: 435-2944  
 E-mail: <fabio@nhgri.nih.gov>  
 Contact 2: Robert Kotin  
 E-mail: <kotinr@nhlbi.nih.gov>

## INTERINSTITUTE INTEREST GROUP DIRECTORY

### Genomics and Bioinformatics Interest Group

Meeting time: Usually one Thursday a month, 3:00 pm  
 Meeting place: Building 37, 6th-floor conference room  
 Contact: John N. Weinstein  
 Phone: 496-9571  
 E-mail: <weinstein@dtphx2.ncicrf.gov>

### Glycobiology Interest Group

Meeting time and place: Varies  
 Contact: Diana Blithe  
 Phone: 435-6990.  
 E-mail: <blithed@nih.gov>  
 ListServ: Subscribe to GLYCO-L@LIST.NIH.GOV

### GTP Binding Proteins Interest Group

Meeting time: Irregular  
 Meeting place: FAES Social & Academic Ctr.  
 Contact: R. Victor Rebois  
 Phone: 496-2007  
 E-mail: <reboisv@nidcd.nih.gov>

### Handheld Users Group (HUG) \*\*

Meeting time: Every third Monday, 3:00 pm  
 Meeting place: Building 10, NIH Library training room  
 Contact: Ben Hope  
 Phone: 594-6473  
 E-mail: <tallguy@nih.gov>

### Hard Tissue Disorders Interest Group

Meeting time: Day varies, 9:30 am  
 Meeting place: Building 30, Room 117  
 Contact: Pamela Robey  
 Phone: 496-4563  
 E-mail: <probey@dir.nidcr.nih.gov>  
 Contact 2: Michael Collins  
 Phone: 496-4913

### Head and Neck Cancer Interest Group \*\*

Meeting time: To be announced  
 Meeting place: Building 30, Room 117  
 Contact 1: Adrian Senderowicz  
 Phone: 594-5270  
 E-mail: <adrian.senderowicz@nih.gov>  
 Contact 2: Wendy Weinberg  
 E-mail: <weinberg@cber.fda.gov>

### Health Services Research Interest Group

Meeting time: Quarterly (day, time, and place to be announced); the group will have its second meeting in early September (time and place TBA)  
 Contact 1: Emily DeVoto  
 Phone: 496-6615  
 E-mail: <DeVotoE@od.nih.gov>  
 Contact 2: Jack Stein  
 Phone: 443-4060  
 E-mail: <js413y@nih.gov>

### HIF (Hypoxia Inducible Factor) Interest Group

Meeting time: Last Thursday, 11:30 am-1:00 pm  
 Meeting place: Building 10, room varies

Contact: Tawnya McKee  
 Phone: 301-846-1943  
 E-mail: <mckee@ncicrf.gov>

### History of Biomedical Research Interest Group

Meeting time: Second Tuesday, 1:00 pm  
 Meeting place: Varies; check web site  
 Contact 1: Office of NIH History  
 Phone: 496-6610  
 Contact 2: Victoria Harden  
 E-mail: <hardenv@od.nih.gov>

### Image Processing Interest Group

Meeting time and place: Distributed by e-mail and on <image.nih.gov>  
 Contact 1: Benes Trus  
 Phone: 496-2250  
 E-mail: <Benes\_Trus@nih.gov>  
 Contact 2: Matt McAuliffe  
 Phone: 594-2432

### Imaging Ligand Development Consortium

Meeting time and place: To be announced (every 3 months; steering committee meetings will be held every 2 months in the Neuroscience Center)  
 Contact: Jamie Driscoll  
 Phone: 443-5288  
 E-mail: <jdrisco1@mail.nih.gov>

### Integrative Neural-Immune Interest Group

Meeting time and place: To be announced  
 Contact: Socorro Vigil-Scott  
 Phone: 496-9255  
 E-mail: <vigilscs@intrn.nimh.nih.gov>

### Integrative Neuroscience Interest Group

Meeting time: Alternate Thursdays, 4:00 pm  
 Meeting Place: Building 49, Room 1A51  
 Contact: Bruce Cumming  
 E-mail: <bgc@lsc.nei.nih.gov>

### In Vivo NMR Interest Group

Meeting time: Varies  
 Meeting place: Building 10, Room B1N256  
 Contact: Jeff Duyn  
 Phone: 594-7305  
 E-mail: <jhd@helix.nih.gov>

### Knowledge Management Interest Group

Meeting time and place: Quarterly; other details to come; check the website (which is in the process of being updated)  
 Contact 1: Geoffrey Marsh  
 Phone: 301-594-9683  
 E-mail: <geoff@mail.nih.gov>  
 Contact 2: Paul Beatty  
 E-mail: <pbeatty@mail.nih.gov>

### Lab Managers Interest Group

Meeting time: Monthly, noon  
 Meeting place: Varies  
 Contact: Dawn A. Walker  
 Phone: 402-7149  
 E-mail: <walkerd@exchange.nih.gov>

### Lambda Lunch (Bacterial and Phage Genetics)

Meeting time: Each Thursday, 11:00 am  
 Meeting place: Building 37, Room 6107/6041  
 Contact: Susan Gottesman  
 Phone: 496-3524  
 E-mail: <susang@helix.nih.gov>  
 Contact 2: Robert Weisberg  
 E-mail: <rweisberg@nih.gov>  
 Anonymous FTP site: FTP.CU.NIH.-GOV directory "LAMBDA\_LUNCH"

### Light Microscopy Interest Group

Meeting time: Monthly, Tuesday, noon  
 Meeting place: Building 10, Room 4B51  
 Contact: James McNally  
 Phone: 402-0209  
 E-mail: <mcnallyj@mail.nih.gov>  
 Contact 2: Christian Combs  
 Phone: 496-0014

### Mass Spectrometry Interest Group

Meeting time: 1st & 3rd Thursday, 10:30 am  
 Meeting place: Building 10, Room 7C101  
 Contact: Jeff Kowalak  
 Phone: 496-4242  
 E-mail: <jkowalak@intrn.nimh.nih.gov>

### Membrane Microdomains Interest Group

Meeting time: 1st Tuesday, 1:00 pm  
 Meeting place: Building 10, Room 9C209  
 Contact: Paul Roche  
 Phone: 594-2595  
 E-mail: <rochep@pop.nci.nih.gov>

### Membrane Protein Interest Group

Meeting time: Usually one Wednesday a month, 1:00 pm; check website: <http://www.nih.gov/sigs/mpig>  
 Meeting place: Building 5, Room 127  
 Contact: Reinhard Grishammer  
 E-mail: <rkgriss@helix.nih.gov>

### Microarray Users Group

Meeting time and place: Usually first Wednesday; Journal Club meets weekly or bimonthly, as the group decides  
 Meeting place: Varies  
 Contact: Katherine Peterson  
 Phone: 402-5678  
 E-mail: <peterstonk@nei.nih.gov>

### Mitochondria Interest Group

Meeting time: 1st Monday, 3:00 pm  
 Meeting/Videoconference: Natcher, Room H; NIEHS, Research Triangle Park, NC; GRC, Baltimore; NIST, Admin. Bldg, Room B113, Gaithersburg, MD; VA Hospital, Cleveland; Podell Auditorium, Beth Israel Medical Center, NYC; Baylor Univ., Texas; Louisiana State University Health Science Center  
 Contact: Steve Zullo  
 Phone: 435-2810  
 E-mail: <zullo@helix.nih.gov>  
 Contact 2: Salvatore Alesci  
 E-mail: <alescis@mail.nih.gov>



**Molecular Modeling Interest Group**

Meeting time: See <<http://mmignet.nih.gov>>  
 Meeting place: Building 12A, conf. rooms  
 Contact: Peter Steinbach  
 Phone: 496-1100  
 E-mail: <[steinbac@helix.nih.gov](mailto:steinbac@helix.nih.gov)>

**Motility Interest Group**

Meeting time and place: Varies  
 Contact: Jim Sellers  
 Phone: 496-6887  
 E-mail: <[sellersj@nhlbi.nih.gov](mailto:sellersj@nhlbi.nih.gov)>

**Mouse Club**

Meeting time: 1st Tuesday, 4:00 pm  
 Meeting place: Building 6A, Room 4A05  
 Contact: Heiner Westphal  
 Phone: 402-0545  
 E-mail: <[hw@helix.nih.gov](mailto:hw@helix.nih.gov)>

**Muscle Interest Group**

Meeting time: Alternate Thursdays, noon  
 Meeting place: Building 40, Room 1203 or 1205  
 Contact: Andres Buonanno  
 Phone: 496-0170  
 E-mail: <[buonanno@helix.nih.gov](mailto:buonanno@helix.nih.gov)>

**Neurobiology Interest Group**

Meeting time and place: TBA  
 Contact: Chip Gerfen  
 Phone: 496-4341  
 E-mail: <[gerfenc@intr.nimh.nih.gov](mailto:gerfenc@intr.nimh.nih.gov)>  
 ListServ: <<http://intr.ninds.nih.gov/nig/>>

**Neuroinformatics Interest Group**

Meeting time and place: To be announced  
 Contact 1: Stephen Koslow  
 Phone: 443-1815  
 E-mail: <[koz@helix.nih.gov](mailto:koz@helix.nih.gov)>  
 Contact 2: Barry Davis  
 Phone: 402-3464  
 E-mail: <[barry\\_davis@nih.gov](mailto:barry_davis@nih.gov)>

**Pain Interest Group**

Meeting time: Tuesday, 3:00  
 Meeting place: Building 30, Room 117  
 Contact 1: Raymond Dionne  
 Phone: 496-0294  
 E-mail: <[rdionne@dir.nidcr.nih.gov](mailto:rdionne@dir.nidcr.nih.gov)>  
 Contact 2: Michael Iadarola  
 E-mail: <[miadarola@dir.nidcr.nih.gov](mailto:miadarola@dir.nidcr.nih.gov)>

**PET Interest Group**

Meeting time: Friday, 2:00 pm; see website for seminar listing  
 Meeting place: Building 10, Room 1C520  
 Contact: Peter Herscovitch  
 Phone: 451-4248  
 E-mail: <[herscovitch@nih.gov](mailto:herscovitch@nih.gov)>

**Phage-Tech Interest Group \*\***

Meeting time and place: Varies  
 Contact 1: Dean Scholl  
 E-mail: <[dscholl@helix.nih.gov](mailto:dscholl@helix.nih.gov)>  
 Contact 2: Carl Merril  
 Phone: 435-3583

**Pigment Cell Research Interest Group \*\***

Meeting time: One Tuesday every other month, lunch meeting 12:00-1:30 pm; once a year a daylong meeting  
 Meeting place: Building 40, Room 1201-1203  
 Contact 1: Bill Pavan  
 Phone: 496-7584  
 E-mail: <[bpavan@nhgri.nih.gov](mailto:bpavan@nhgri.nih.gov)>  
 Contact 2: Marjan Huizing  
 Phone: 402-2797  
 E-mail: <[mhuizing@mail.nih.gov](mailto:mhuizing@mail.nih.gov)>

**Polyunsaturated Lipid Function Interest Group**

Meeting time: Usually 1st Wednesday of each month, as announced (journal club; resuming in September), 1:00 pm  
 Meeting place: Flow Bldg. Conference Room, Rockville, 12501 Washington Ave.  
 Contact: Norman Salem  
 Phone: 443-2393  
 E-mail: <[nsalem@niaaa.nih.gov](mailto:nsalem@niaaa.nih.gov)>

**Prostate Cancer Interest Group**

Meeting time: Monthly, Tuesday, 4:00 pm  
 Meeting place: Building 10, Room 2S235  
 Contact: Sildiz Ali  
 Phone: 496-6353  
 E-mail: <[alis@mail.nih.gov](mailto:alis@mail.nih.gov)>

**Protein Trafficking Interest Group**

Meeting time: 2nd Tuesday, 3:30 pm  
 Meeting place: Building 50, Room 2328  
 Contact 1: Harris Bernstein  
 Phone: 402-4770  
 E-mail: <[harris\\_bernstein@nih.gov](mailto:harris_bernstein@nih.gov)>  
 Contact 2: Peng Loh  
 Phone: 496-3239

**Proteomics Interest Group**

Meeting time: Monthly 1st Friday seminars  
 Meeting place: Building 50; check website: <<http://proteome.nih.gov>>  
 Contact: Donita Garland  
 Phone: 496-6999  
 E-mail: <[dgarland@helix.nih.gov](mailto:dgarland@helix.nih.gov)>

**Reactive Oxygen Species Interest Group \***

Meeting time and place: Monthly seminars with Oxygen Club of the Greater Washington Area (info via NIH Calendar, members' e-mail, and <[Jayasree.Nath@NA.AMEDD.ARMY.MIL](mailto:Jayasree.Nath@NA.AMEDD.ARMY.MIL)>)  
 Contact 1: Mike Chiueh  
 Phone: 496-3421  
 E-mail: <[chiueh@helix.nih.gov](mailto:chiueh@helix.nih.gov)>  
 Contact 2: Mike Espey  
 Phone: 496-7511

**RNA Club**

Meeting time: 1st Tuesday (except August), 4:00 pm  
 Meeting place: Building 41, Room C509  
 Contact 1: Carl Baker  
 Phone: 496-2078  
 E-mail: <[ccb@nih.gov](mailto:ccb@nih.gov)>  
 Contact 2: Susan Haynes  
 E-mail: <[shaynes@usuhs.mil](mailto:shaynes@usuhs.mil)>

**Signal Transduction Interest Group**

Meeting time: Alternate Wednesdays, 5:00 pm  
 Meeting place: 5 Research Court, Conference Room  
 Contact 1: John Northup  
 Phone: 496-9167  
 E-mail: <[drjohn@codon.nih.gov](mailto:drjohn@codon.nih.gov)>  
 Contact 2: James Battey  
 Phone: 402-0900

**Stem Cell Interest Group**

Meeting time and place: Monthly seminars to rotate through Baltimore, Bethesda, and Frederick campuses; check website  
 Contact 1: Minoru Ko  
 Phone: 1-410-558-8359  
 E-mail: <[kom@grc.nia.nih.gov](mailto:kom@grc.nia.nih.gov)>  
 Contact 2: Nadya Lumelsky  
 Phone: 301-451-9834  
 E-mail: <[nadyal@intr.niddk.nih.gov](mailto:nadyal@intr.niddk.nih.gov)>  
 Contact 3: Colin Stewart  
 Phone: 301-846-1755  
 E-mail: <[stewartc@ncicfcrf.gov](mailto:stewartc@ncicfcrf.gov)>

**Stroke Branch Interest Group/Seminar Clinical Stroke Rounds (year-round)**

Meeting time: Wednesdays, 8:30 am  
 Meeting place: Suburban Hospital  
**Stroke Branch Seminars** (September through May)  
 Meeting time: Thursdays 3:30 pm  
 Meeting place: Building 36, Conf. Room 1B13  
 Contact 1: John Kylan Lynch  
 Phone: 496-1187/1714  
 E-mail: <[LynchJ@ninds.nih.gov](mailto:LynchJ@ninds.nih.gov)>  
 Contact 2: Zurab Nadareishvili  
 Phone: 496-6231

**Synaptic and Developmental Plasticity Interest Group**

Meeting time: Wednesday, once a month, 12:00 noon  
 Meeting place: Building 49, Room 1A50  
 Contact: Bai Lu  
 Phone: 435-2970  
 E-mail: <[bailu@mail.nih.gov](mailto:bailu@mail.nih.gov)>

**Systems Biology Interest Group \*\***

Meeting time: Every second Thursday, 3:00-4:30 pm (starting September 11, 2003)  
 Meeting place: Natcher, Room 2A510  
 Contact 1: Victor Pollara  
 Phone: 402-1620  
 E-mail: <[pollarav@mail.nih.gov](mailto:pollarav@mail.nih.gov)>  
 Contact 2: Martin Meier-Schellersheim  
 Phone: 496-5046  
 E-mail: <[mms@niaid.nih.gov](mailto:mms@niaid.nih.gov)>

**Technology Transfer Interest Group**

Meeting time: First Tuesday each month, 3:00 pm  
 Meeting place: 6011 Executive Blvd., suite 325  
 Contact 1: J.P. Kim  
 Phone: 435-5377  
 E-mail: <[kimj@od6100m1.od.nih.gov](mailto:kimj@od6100m1.od.nih.gov)>  
 Contact 2: Robert Baughman  
 Phone: 496-1779  
 E-mail: <[baughmar@ninds.nih.gov](mailto:baughmar@ninds.nih.gov)>

# INTERINSTITUTE INTEREST GROUP DIRECTORY

## Therapeutic Oligonucleotides Interest Group

Meeting time: Last Thursday, 4:00 pm  
Meeting place: Building 10, Room 2C116  
Contact: Yoon Cho-Chung  
Phone: 496-4020  
E-mail: <chochung@helix.nih.gov>

## Tobacco and Nicotine Research Interest Group\*\*

Meeting time: Bimonthly (date and time vary)  
Meeting place: Executive Plaza North  
Contact: Matthew Fritts  
Phone: 594-6637  
E-mail: <frittsm@mail.nih.gov>

## Transcription Factor Interest Group

Meeting time: 1st Thursday (except July-Sept.), 2:00 pm  
Meeting place: Building 50, ground-floor Conference Room (Room 1227)  
Contact 1: Stoney Simons  
Phone: 496-6796  
E-mail: <steroids@helix.nih.gov>  
Contact 2: Uli Siebenlist  
Phone 496-8917  
ListServ: subscribe to TFACTORS

## Tumor Angiogenesis & Invasion Working Group

Meeting time and place: Posted at web site  
Contact 1: William Figg  
Phone: 402-3622  
E-mail: <wdfigg@helix.nih.gov>  
Contact 2: Steven Libutti  
Phone: 496-5049

## Viral Hepatitis Interest Group

Meeting time: 1st or 2nd Monday, 4:15 pm  
Meeting place: Building 10, Room 1C726 (DTM conference room)  
Contact: Marian Major  
Phone: 301-827-1881  
E-mail: <major@cber.fda.gov>

## Virology Interest Group

Meeting time: 4th Tuesday, 12:15 p.m.; minisymposium in November  
Meeting place: Building 29B, Room A/B  
Contact 1: Alison McBride  
Phone: 496-1370  
E-mail: <amcbride@niaid.nih.gov>  
Contact 2: Carolyn Wilson  
E-mail: <wilsonC@cber.fda.gov>  
ListServ: Contact <CBuckler@nih.gov>

## Washington Area NMR Interest Group

Meeting time: Three times a year, generally in December, February, and May  
Meeting place: Building 5, Room 127, or the Cloister (Building 60) Lecture Hall  
Contact: Robert Tycko  
Phone: 402-8272  
E-mail: <robertt@niddk.nih.gov>

## Washington Area Yeast Club

Meeting time: 2nd Wednesday, 4:30 pm  
Meeting place: Building 6A, Room 4A05  
Contact 1: Reed Wickner  
Phone: 496-3452  
E-mail: <wickner@helix.nih.gov>  
Contact 2: Alan Hinnebusch  
Phone: 496-4480  
E-mail: <ahinnebusch@nih.gov>

## Women's Health Special Interest Group

Meeting time and place: Usually one Friday a month, 11:30 am-12:30 pm  
Meeting place: Varies; see website for upcoming lectures  
Contact: Vicki Malick  
Phone: 301-496-7989  
E-mail: <malickv@od.nih.gov>

## WorldWideWeb Interest Group

This group is still seeking someone to take on the administrative activities to keep the group going smoothly. Interested?  
Contact: Dale Graham  
E-mail: <degraham@helix.nih.gov>

## X-ray Crystallography Interest Group

Meeting time and place: See biweekly newsletter: <<http://mcl1.ncicrf.gov/nihxray/>>  
Contact: Fred Dyda  
Phone: 402-4496  
E-mail: <dyda@ulti.niddk.nih.gov>

## Zebrafish/Xenopus Interest Group

Meeting time and place: Monthly, rotating through participating labs; space is limited  
Contact: Tom Sargent  
Phone: 496-0369  
E-mail: <sargentt@mail.nih.gov>

**\*\* Last year's listing—not verified or updated.**

## IGs ON THE HORIZON

### R Users Group

Contact: Terry Cox  
Phone: 496-6583  
E-mail: <TAC@NEI.NIH.GOV>

According to Terry Cox, who is organizing a mailing list and meetings, R is a free, open source system for statistical analysis and graphics (see <<http://www.r-project.org/>>).

Among the packages that have been written for R is Bioconductor, an open source set of software for bioinformatics.

### Biomedical Enabling Sciences and Technologies (BEST) Cluster

Contact: Mohammad Al-Ubaydli  
Phone: 451-6716  
E-mail: <alubaydl@ncbi.nlm.nih.gov>

Not an official IG umbrella, BEST is a coordinated cluster of IGs that thus far includes the Biomedical Computing IG, the Advanced Technologies SIG, the Knowledge Management IG, the Handheld Users Group, and the Microarray Users Group.

### Scientific Integrative Medicine Interest Group

Meeting time and place: To be announced

Contact 1: David Goldstein  
Phone: 496-2103  
E-mail: <goldsteind@ninds.nih.gov>  
Contact 2: Eleanor Hanna  
E-mail: <hanna@nih.gov>

The general goal of this new group is to foster patient-oriented clinical research that leads to the prevention or presymptomatic treatment of multisystem disorders. The group will sponsor seminars led by members and invited speakers, grand rounds within institutes and the NIH Clinical Center, and lectures for the broader NIH community.

**Considering starting a new Interest Group? Contact Celia Hooper: <[hooper@od.nih.gov](mailto:hooper@od.nih.gov)> or fax: 301-402-4303.**

**Need to correct your group's listing? Contact CIT's web publishing group: <[publish@cit.nih.gov](mailto:publish@cit.nih.gov)>.**

## INTRO COURSE TO CLINICAL RESEARCH

Registration for "Introduction to the Principles and Practice of Clinical Research" begins **August 18** and closes **October 4**.

The course runs from October 18, 2004, through February 15, 2005, Monday and Tuesday evenings from 5:00 p.m. to about 6:30 p.m. There is no tuition fee, but students must buy the required textbook. There are a final exam and a certificate for successful completion of the course.

Nearly 700 students registered for the 2003-2004 program, which was also broadcast to nine other universities and medical centers in the United States; San Juan, Puerto Rico; and Lima, Peru.

For more information or to register, visit

<<http://www.cc.nih.gov/researchers/training/ippcr.shtml>>

or call the NIH Office of Clinical Research, Training, and Medical Education at 301-496-9425. For reasonable accommodations, call 301-496-9425 between 8:30 a.m. and 5:00 p.m. at least seven business days before the event. ■



## GUIDE TO THE FIRST YEAR OF MOTHERHOOD AT NIH

by Fatima Husain, NIDCD




(1) How to get your baby to fall asleep? Read him/her your mentor's latest review article. Guaranteed to work when all else fails.




(2) Register your baby in NIH day-care before you conceive of conceiving.

Waiting

Building 10 Lactation Room



(3) You will be transported back to elementary school—small benches, tight spaces, and easy friendships.



(4) Get ready to become a bag lady: baby bag, lactation bag, office bag, lunch bag, and baby!

Thanks to Kimberly Griffin for our "bag lady" discussion.



(5) You may be tempted by the -80 degrees refrigerator, but it is really NOT a good place for breast milk

Tip o' Pen to Jacquie Shukaliak



Naser Pablo at 11 months—none the worse for NIH wear and on the waiting list for NIH daycare

## MORE POSTBAC POSTERS: THE MEMORIES OF MAY LINGER ON

by Myrna Zelaya-Quesada, NIAID

**Verónica Chávez, Georgetown University, Washington, D.C., and Kathleen Sullivan, State University of New York, College at Geneseo: "Spontaneous" Disclosure in Forensic Interviews**

**Preceptor: Margaret-Ellen Pipe, Laboratory of Comparative Ethology, NICHD**

Spontaneous disclosure of sexual abuse by a victim, particularly a child, is unusual in the context of forensic interviews. Chávez and Sullivan set out to identify factors that might contribute to a child's willingness to discuss such an experience.

They examined variables related to the children, their family circumstance, the nature of the abuse, the suspect, and the context of the disclosure within the interview.

They found that "spontaneous" disclosure most often occurred among younger children who had been prompted to tell the truth, children who had experienced a prior abuse investigation, and those who had suffered severe abuse—such as penetration.

The victim-suspect relationship and the events that triggered the investigation were not contributing factors. The researchers now plan to explore interviewer variables.

**Michelle Geiss, Bates College, Lewiston, Maine: Sex Differences in Familial Transmission of Migraine**

**Preceptor: Kathleen Merikangas, Mood and Anxiety Disorders Research Program, NIMH**

Geiss' group sought to examine whether familial transmission could explain the sex differences in lifetime prevalence of migraine headache—about twice as high in women.

Assuming that women's threshold of risk for migraine is lower than men's, the investigators reasoned that familial transmission would emerge as an important factor in sex differences if the relatives of men with migraine were found to be at greater risk than the relatives of women with migraine.

They interviewed male and female probands and their first-degree relatives, as well as control subjects and their relatives (a total of 1,501 people). Supporting previous findings in the field, they found a 2.4 times higher incidence of migraine among women and a three times higher incidence among relatives of people with migraine.

But the relatives of male probands were not at greater risk than the relatives of female probands, refuting the notion that fa-

miliar transmission might explain the sex difference in prevalence. "In fact," Geiss said, "the relatives of female probands were at greater risk—just the opposite of what we thought might be the case."

The researchers will be exploring other explanations, such as maternal transmission and psychosocial factors.

**Lindsay Zemba, Millersville University, Millersville, Pa.: Sex Differences in Play Behavior among Captive Common Marmosets (Callithrix jacchus)**

**Preceptor: Lucille Roberts, Laboratory of Comparative Ethology, NICHD**

Researchers believe that play in young animals may be one form of preparation for social interactions as adults. Zemba and her

of Chekol and her colleagues.

Using a human cancer profiling array that included 13 tumor types, the team documented sparse or absent TLP in 20 to 45 percent of the solid cancer tissue samples they examined, including kidney, colon, stomach, uterus, and breast.

Chekol thinks this downregulation may demonstrate the involvement of the TLP gene in signaling pathways critical in the development of cancer.

To explore this possibility, Chekol cloned the target gene in antisense orientation into a tetracyclin-inducible retroviral vector system with which she infected human breast cancer cells. She intends to inject those tumor cells with reduced TLP levels into nude mice and monitor tumor growth rate.



Fran Polner

**PostBacs in the Spotlight:** (left to right) Verónica Chávez and Kathleen Sullivan, Michelle Geiss, Lindsay Zemba, Seble Chekol, and Janet Benjamin

colleagues observed social groups of common marmosets at the NIH Animal Center in Poolesville to determine how play behavior relates to their social organization.

Common marmosets are monogamous primates that exhibit minimal sexual division of labor as adults. The researchers hypothesized that if social play is "affiliative," it would occur more frequently between the sexes; if "simulative," there would be little sex difference in quantity or quality of play.

Results demonstrated that "play is a form of affiliative behavior," with females receiving and males initiating more social play, especially rough and tumble play, Zemba said. Because the social organization of common marmoset families is similar to that of humans, the findings may be relevant to understanding the role of social play in children, including the potential negative effects of play deprivation in childhood, she added.

**Seble Chekol, North Carolina State University, Raleigh: The Role of TLP (Trap-like Protein) in Various Cancers**

**Preceptor: Angelina Felici, Laboratory of Cell Regulation and Carcinogenesis, NCI-CCR**

Trap-like protein (TLP), which is structurally similar to TGF- $\beta$  receptor-associated protein, is downregulated or absent in a variety of human cancers, according to the findings

**Janet Benjamin, University of Maryland, Baltimore County: Identification of Natural Killer Cells Marker in Rhesus and Pig-tailed Monkeys**

**Preceptor: Domenico Mavilio, Laboratory of Immunoregulation, NIAID**

Natural killer (NK) cells play an important role in simian and human immune systems as the body's first line of defense against virus and tumor cells. They lyse infected cells by signaling both activating and inhibitory receptors on their surfaces. Benjamin and her colleagues sought to gain a better understanding of the immunophenotype and function of NK cells in monkeys—a pursuit that could aid in HIV vaccine development.

In this study, the researchers turned to the receptors to tease out NK cell function in monkeys. They used flow cytometry analysis to determine the expression of NKp46, NKp30, and NKG2D activating receptors, as well as NKp80 (an activating co-receptor) and NKG2A (an inhibitory receptor) in rhesus and pig-tailed monkeys.

"These new flow cytometric analyses of NKG2A and NKp80, together or alone, combined with CD16 (a marker of human NK cells that is nonspecific in the monkeys), will allow us to identify the entire NK cells subset and to better understand the different roles of NK cells in the pathogenesis of different diseases," Benjamin said. ■



## CELEBRATING INSTITUTIONAL MEMORY: NIH HISTORY DAY, SEPTEMBER 21

by Victoria Harden  
Director, Office of NIH History and Stetten Museum

**T**uesday, September 21, 2004, marks the second annual NIH History Day. This year's theme—"Scientific Biography"—spotlights how advances in biomedical research depend on individual curiosity, perseverance, and creativity, augmented occasionally by serendipity.

Featured speaker Thomas Söderqvist, professor of the history of medicine and director of the Medical Museion at the University of Copenhagen, will lecture on "The Seven Virtues of Biography, or: What's the Use of Biographies of Life Scientists?" at 3:00 p.m., September 21, in Lipsett Auditorium, NIH Clinical Center (Building 10). Söderqvist's most recent book is *Science as Autobiography: The Troubled Life of Niels Jerne, a personal and scientific portrait of the 1984 Nobel laureate in physiology or medicine*.

The Office of NIH History encourages senior NIH scientists to send in digital or paper copies of their CVs along with photos, both candid and posed, to be added to its biographical reference files. On NIH History Day, collection stations will be staffed in the lobbies of Buildings 10, 50, and 37 for the convenience of scientists who want to donate in person.

For more information or special accommodations, contact Sarah Leavitt: <leavitts@od.nih.gov> or 301-496-8856 or consult <<http://history.nih.gov>>.

Following are two biographical sketches that illustrate the theme. Charles Armstrong was the first intramural scientist elected to the National Academy of Sciences, and Margaret Pittman was the first woman to be named chief of an NIH laboratory.

### CHARLES ARMSTRONG: ESTABLISHED A MOUSE MODEL FOR POLIO

**C**harles Armstrong (1886–1967), best known for his work on polio, studied many contagious diseases in his years with NIH. Armstrong received his PHS commission in 1916 and made a name for himself conducting studies of disease outbreaks.

His first triumph came in 1920 when he correctly traced the cause of an outbreak of botulism among party-goers in Ohio to tainted olives. This discovery led to a half-million-dollar upheaval of the olive canning industry in California.

Assigned to the Hygienic Laboratory (the predecessor of NIH) in 1921, Armstrong traveled to several locations—among them Haiti and a Navajo reservation—to study epidemics. Attuned to the practical side of public health practice, Armstrong was able to solve several health mysteries.

One important example is the case of usually fatal post-vaccination tetanus in children who had been given smallpox vaccinations. The culprit turned out to be the dressings, often celluloid shields, which harbored the tetanus spores.

His work in the new field of virology led to discoveries of new diseases and strains of diseases—and also led him to contract at least six of the diseases he studied, including psittacosis, encephalitis, and Q fever.

Armstrong's work in polio research earned him a place in the Hall of Fame of the National Foundation for Infantile Paralysis. He had spent years doing experiments with nose sprays that would temporarily prevent the spread of polio, and, perhaps more importantly, had been able to induce the disease for the first time in mice, thereby providing an affordable animal model that would eventually lead to the development of a vaccine.

Armstrong served as chief of the Division of Infectious Diseases from 1940 to 1950 and—in 1944—became the first NIH staff member elected to membership in the National Academy of Sciences. ■



Courtesy of the National Library of Medicine  
Charles Armstrong

### MARGARET PITTMAN: VACCINE STANDARDS PIONEER

**M**argaret Pittman (1901–1995) is best known for her pioneering work in the production, testing, and standardization of vaccines to prevent typhoid, cholera, and pertussis.

In a career that included 35 years with the Division of Biologics Standards (later renamed and transferred to FDA), Pittman traveled to the far reaches of the world in her quest to develop and encourage the use of safe vaccines.

Pittman began her research career in the 1930s at the Rockefeller Institute in New York (now the Rockefeller University), where she studied the microbiology and immunology of infections caused by *Haemophilus influenzae*. Her discovery—that there were six varieties of the organism, of which only one type caused serious disease in children—eventually led to the development of the flu vaccine for preschoolers in 1985.

After coming to NIH in 1936, Pittman turned to research on pertussis. This work led her to develop a usable mouse model for the disease in 1944. She then used the information gleaned from the mouse studies to develop a vaccine potency standard. These studies led to the international potency requirement issued by the World Health Organization (WHO) in the 1950s. Pittman was also involved in finding and standardizing vaccines for other diseases and was at the forefront of research in eliminating toxins from vaccines.

She took on administrative duties when she was named NIH's first female laboratory chief (of the Laboratory of Bacterial Products) in 1958, but continued to work in the field.

In the 1960s, Pittman was selected to join the Southeast Asia Treaty Organization's cholera project and traveled to what was then East Pakistan to help develop standards for a cholera vaccine. As a WHO consultant in the 1960s and 1970s, Pittman traveled to Egypt, Iran, and Spain to work out vaccine standards and conduct field trials. ■



Courtesy of the Office of NIH History  
Margaret Pittman

## CATALYTIC REACTIONS?

If you have a photo or other graphic that reflects an aspect of life at NIH (including laboratory life) or a quotation that scientists might appreciate that would be fit to print in the space to the right, why not **send it to us via e-mail: [catalyst@nih.gov](mailto:catalyst@nih.gov)**; **fax: 402-4303**; or **mail: Building 2, Room 2E26**.

Also, we welcome "letters to the editor" for publication and your reactions to anything on the *Catalyst* pages.

### In Future Issues...

- NIH Presence
- At International AIDS Conference
- Entry Point!: No Bars Held
- Bench to Bedside: Targeting AIDS

## Mackall's Lab Scooters: Doing Their Part for NIH Parking



Melinda Merchant

*The three Vespa/Piaggio scooters belong to Pediatric Oncology Branch members (Crystal Mackall, head, Immunology Section; Kevin Chua, senior biologist; Melinda Merchant, clinical fellow). Their motto: The lab that scoots together spends less time walking from the multilevel.*

**[School's out for summer! Kids' Catalyst returns in September.]**

The *NIH Catalyst* is published bi-monthly for and by the intramural scientists at NIH. Address correspondence to Building 2, Room 2E26, NIH, Bethesda, MD 20892. Ph: (301) 402-1449; fax: (301) 402-4303; e-mail: [catalyst@nih.gov](mailto:catalyst@nih.gov)

### PUBLISHER

Michael Gottesman  
Deputy Director  
for Intramural Research, OD

### EDITORS

John I. Gallin  
Director, Warren Grant Magnuson  
Clinical Center, and Associate  
Director for Clinical Research

Lance Liotta  
Chief, Laboratory of Pathology, NCI

### SCIENTIFIC EDITOR

Celia Hooper

### MANAGING EDITOR

Fran Pollner

### COPY EDITOR

Shauna Roberts

### CONTRIBUTING WRITERS

Victoria Harden  
Myrna Zelaya-Quesada

### EDITORIAL ADVISORY BOARD

Jorge Carrasquillo, CC  
David Davies, NIDDK  
Dale Graham, CIT  
Hynda Kleinman, NIDCR  
Elise Kohn, NCI  
Susan Leitman, CC  
Bernard Moss, NIAID  
Michael Rogawski, NINDS  
Joan Schwartz, NINDS  
Gisela Storz, NICHD

U.S. DEPARTMENT OF HEALTH  
AND HUMAN SERVICES  
National Institutes of Health  
Building 2, Room 2E26  
MSC 0235  
Bethesda Maryland 20892

FIRST-CLASS MAIL  
POSTAGE & FEES PAID  
DHHS/NIH  
Permit No. G-802

Official Business  
Penalty for Private Use \$300



Printed on 50%  
recycled content  
paper and can be  
recycled as office  
white paper.